

BEFORE THE IDAHO PUBLIC UTILITIES COMMISSION

IN THE MATTER OF AVISTA)	CASE NO. AVU-E-21-09
CORPORATION’S ANNUAL POWER COST)	
ADJUSTMENT (PCA) RATE APPLICATION)	
)	ORDER NO. 35141
)	

The Clearwater Paper Corporation (“Clearwater”) petitioned to intervene in this case on August 9, 2021, pursuant to Rules of Procedure 71 through 75 of the Idaho Public Utilities Commission, IDAPA 31.01.01.071-.075.

FINDINGS OF FACT

We find that no party timely opposed this Petition to Intervene.

We further find that based on the pleadings and other documents filed in this case, intervention by this party would serve the purposes of intervention as described by Rule 74 of the Rules of Procedure and should be granted.

ORDER

IT IS THEREFORE ORDERED that the Petition to Intervene filed by Clearwater is hereby granted.

IT IS FURTHER ORDERED that all parties in this proceeding serve all papers hereafter filed in this matter on all parties of record. This Intervenor is represented by the following for purposes of service:

Clearwater Paper Corporation:

Peter J. Richardson
Richardson Adams, PLLC
515 N. 27th Street
P.O. Box 7218
Boise, ID 83702
peter@richardsonadams.com


Dr. Don Reading
6070 Hill Road
Boise, ID 83703
dreading@mindspring.com

Electronic Service Only:
carol.haugen@clearwaterpaper.com
terry.borden@clearwaterpaper.com

IT IS FURTHER ORDERED that parties continue to comply with Order No. 35058, issued June 3, 2021. All pleadings should be filed with the Commission electronically and shall be deemed timely filed when received by the Commission Secretary. *See* Rule 14.02. Service

between parties should also be accomplished electronically. Voluminous discovery-related documents may be filed and served on CD-ROM or a USB flash drive.

DONE by Order of the Idaho Public Utilities Commission at Boise, Idaho this 19th day of August 2021.



PAUL KJELLANDER, PRESIDENT




KRISTINE RAPER, COMMISSIONER



ERIC ANDERSON, COMMISSIONER

ATTEST:



Jan Noriyuki
Commission Secretary

I:\Legal\ELECTRIC\AVU-E-21-09 PCA\AVUE2109_CW_in_jh.docx