August 28, 2021

Idaho Public Utilities Commission 472 W. Washington

PO Box 83720 Boise, ID 83720-0074 RECEIVED

2021 AUG 30 PM 12: 53

IT IL ITIES COMMISSION



GWR-T-21-08

Leader Communications, LLC submits this application seeking an Order for income tax credit for Leader Communication's investment in "qualified" broadband equipment. The following information is provided for your consideration:

1. Name and address of applicant including the contact person in the event there are questions regarding the application and its content. Indicate whether the applicant is a telecommunications carrier, a commercial mobile service carrier, a cable or open video operator, a satellite carrier, or other type of wireless carrier.

Leader Communications LLC 1613 Idaho Street UNIT 1207 Lewiston, Idaho 83501 208-245-8400 Contact- Jason Frawley jfrawley@sm-email.com www.leadercomm.net Leader Communications is a FIXED TERRESTRIAL WIRELESS INTERNET PROVIDER

2.

Identify the area of location where the equipment is installed in Idaho.

The equipment referenced in our application was installed in the communities of Harrison, St. Maries, Potlatch, Princeton, Worley, Plummer, Elk River, Lewiston, and Coeurd' Alene. Specifically the equipment was installed in Benewah, Latah, Clearwater, Nez Perce, and Kootenai counties.

3. Describe the type of broadband service(s) offered to the public in Idaho.

Leader Communications LLC delivers broadband Internet to the residents and businesses of the above areas via wireless microwave and some with fiber optics.

4. State the network transmission rate in bits per second at which subscribers to the relevant broadband network can receive and send (download and upload)

The network is capable at transmitting services from 2.0 mbps download and 1mbps upload all the way up to 1.2 Gbps full duplex in areas. Our most popular plan is the platinum which is 7 and 25 mbps and 3 - 4mbps upload. Provide a specific list of the equipment or types of equipment that the applicant is requesting that the Commission determine is "qualified broadband equipment" as defined in the Idaho Code 63-3029(3)(b). List the brand, manufacturer, model numbers, or other distinguishing features of the installed equipment.

Please see attached list of equipment deployed.

5.

6. Provide the date (s) or time period when the broadband equipment was installed in Idaho.

All of the equipment was deployed Jan 1, 2019 thru Dec 31, 2019.

7. Provide a written description (including basic schematics or general drawings) of the relevant broadband network including a description of how the installed equipment is "an integral part" of a broadband network.

Please see included Coverage Map showing the areas in which we provide our services.

Description of Leader Communications, LLC broadband network:

The network shown in conjunction with the coverage map is a wireless microwave network with the Core of the network being in St. Maries, Idaho. From our Tower.12 location there is a 598 mbps licensed microwave link to our upstream provider Ziply Fiber From that location there are numerous wireless point to point links to adjoining tower locations such as Tower.10, Tower.11, and Tower. 28 which are just a few of the main locations that allow us to distribute additional point to point links from those locations to other strategically located tower locations. Also there is an additional link of 200mbps from Moscow Mountain to Princeton, Idaho where that market is fed from. Within each of our areas, there are several point to multipoint access points allowing us to connect the end user with a Customer Premise microwave radio which is purchased and installed by Leader Communications. We have also recently installed an additional 420mbps microwave link to Harrison and also installed a 1gbps fiber optic link in St. Maries. Quantify the percentage and number of potential Idaho subscribers that could be served with the broadband equipment and the percentage and number of non-Idaho subscribers that will be/could be served by the broadband network. Leader Communication's network could potentially cover around 18,000 residents. Currently, we provide services to around 3000 of these locations and constantly expanding our services. Non of our coverage area provides services to non-Idaho subscribers. About 16% of the population is serviced by Leader Communications.

Enclose a statement certifying that the applicant has read the applicable statutes for broadband investment income tax credit and the applicant believes that the subject broadband equipment qualifies for the tax credit under Idaho Code 63-30291.

Certification: I hereby certify that I have read the applicable statues and believe the broadband equipment listed in this application qualifies for the tax credit under Idaho Code 63-3029i.

If there are any questions related to this application please don't hesitate to contact me by phone at (208) 305-3290 or via email at jfrawley@sm-email.com


We appreciate your consideration of this application.

Warm regards,

Jason Frawley President

8.

9.





OMMUNICATIONS 1	Manufacturer TRANSTECTR	Product SKU 1000-1164	Product Name Transtector ALPU Pole Mounting Kit	No. Items 6	\$
OMMUNICATIONS C		10X6-12103	3FT GRAY CAT5E PATCH CABLE-BOOTLESS	50	\$
OMMUNICATIONS T		1101-959 1797B	Transtactor ALPU-PTP-M Gigabit PoE Surge Protector BELDEN - TWISTED PAIR STRIP TOOL	11	5
OMMUNICATIONS C		241088-1	1/2" GROUNDING KIT FOR COAX	2	5
OMMUNICATIONS 3	BM	33+Super-3/4x66FT	Electrical Tape - Black/Vinyl -3M 33+Super-3/4x86FT	20	\$
OMMUNICATIONS T		4.94.0100.060	Trylon, SuperTitan 60h Step Bolt Kit	1	5
OMMUNICATIONS T	TRYLON	4.98.0100.060 4.99.0485.100	STEP-BOLT KIT, 60' CABLE SAFETY CLIMB KIT (NO SLIDER)	1	5
OMMUNICATIONS	1 1	43211A	Standard Hanger Kit, 1/2" Cable	2	5
OMMUNICATIONS T		5.94.0500.060	Trylon, SuperTitan KD, 60' S500, Knock Down Kit	1	5
OMMUNICATIONS F		8P8C-RS-50	RJ45 8PBC PLUG, SOLID, ROUND, 50 PK	6	5
OMMUNICATIONS L		AD-NF-NM-RT AF-24-US	NFEMALE TO NMALE R/A ADAPTER Ubiquiti Airliber 24GHz 1.4Gbpe, US, AF-24-US	20	5
OMMUNICATIONS L		AM-9M13-120	Ubiquit 900MHz 120 Deg 13 dbi MIMO Sector w/cables, AM-9M13-120	1	5
OMMUNICATIONS L			Ubiquiti 2GHz AirMax Dual Omni, 10dBi, AMO-2G10	3	5
OMMUNICATIONS L	Jbiquiti Networks	AMY-9M16X2	Ubiquiti Airmax Yagi, 900 MHz Dual Pol, 2 Pack, AMY-9M16X2	2	5
OMMUNICATIONS		AND252135 ANGLE-UI	1-Port Entry Panel with 4" Diameter Hole (7" x 7") Flange Universal Angle Adapter	4	5
OMMUNICATIONS	11 Mar 19	ANT140F2	Telewave 135-165 MHz 2.5dB Fiberalass Omni Antenna	2	5
OMMUNICATIONS F	PCTel	ASP76551	PCTel, 445-470 Moseic 5dB Antenna w/ Spring	5	\$
OMMUNICATIONS		AV10115DNV1	Arecont, 10MP/1090P,7FPS/32FPS,H.284 BINNING,D/N,	1	5
OMMUNICATIONS COMMUNICATIONS T		BB1-08501200-NON BC350	CradlePoint NetCloud Branch 1yr CBA850+1200Mbps Tripp Lite UPS 350VA 180W Desktop PC / MAC Bettery Back Up Compact 120V 6 Outlets - 350 VA/180 W - 120 V AC - 2.50 Minute Stand-by Time	1 5	5
OMMUNICATIONS C		CAT5E-SHIELDED	OUTDOOR CATES SHIELDED-1007-80X	23	\$:
OMMUNICATIONS N	AikroTik	CCR1036-8G-2S+	MikroTik 8 Port 2 SFP Port Cloud Core Router, CCR1036-8G-2S+	2	\$
OMMUNICATIONS T	Terrawave	CON-07-400-CP	Terrawave, CCP N Male/Plug for 400 Cable	40	5
OMMUNICATIONS	and the state	CSH1 CT11-50H0W	Harger, Pipe Handle with Chain 11 Inch Zip-Be, Standard 50lb, 1000pk	1 12	S
OMMUNICATIONS C	AMBRIDGE	CT14-50MOW	11 Inch Zip-be, Standard Solo, 1000pk 14* BLACK UV ZIP TIE -50LB -1000PK	12	5
OMMUNICATIONS T	ycon Power	ENC-ST-23X14X12	WEATHERPROOF STEEL ENCLOSURE	2	\$
OMMUNICATIONS U		ETH-SP-G2	Ubiquiti Ethemet Surge Protector GEN2, ETH-SP-G2	30	\$
OMMUNICATIONS	and the state of the	EZ-22-3A EZ-600-NMK	Easy Up 3' High, fits masts up to 1-3/4" (6 Bolts) Strainbly, N Male cooperator for LMB800 fram dielectric cable, cardinated pin, po adder, crimo on heald, knuded coupling aut	3	5
OMMUNICATIONS		F1TNM-HC	Straight - N Male connector for LMR800 foam dielectric cable, captivated pin, no solder, crimp on braid, knurted coupling nut N Male for 1/4* FSJ1-50A Hex Head	10	5
OMMUNICATIONS C	Commacope	F4PNMV2-HC	Commscope, 1/2" Superflex - N-Male Captivated	10	5
OMMUNICATIONS		FG4505W	450-470MHz 5dB Fiberglass Omni Antenna	1	5
OMMUNICATIONS L	aird	FM2 FRX450	Laird FM2 Mounting Hardware for Antennex Omni Antennes, FM2 Laird, 450-470MHz 5dBi Fiberglass Omni Antenna	1	5
OMMUNICATIONS C	Commacope	FSJ1-50A	Lairo, 450-470MHz 505i Floergiass Omni Antenna Commiscope, 1/4" 50 Ohm Superflex Coax Cable	50	5
OMMUNICATIONS		GAW910	Harger, HDPE Well with Cover	2	\$
OMMUNICATIONS C	THER	GK-SUNV	LMR/CAT5E GROUND KIT	6	5
OMMUNICATIONS P	OluPhaser	GO582SB GT-NFF-AL	Harger, Cable to Ground Rod, #2 Solid to 5/8" rod PolyPhaser DC to 7GHz DC Pass Gas Tube - NF to NF	1 8	5
OMMUNICATIONS P	0.97 110.001	GTH-NFF-AL	Ponymaser DC to /GH2 DC Pass Gas Tube - NF to NF Single Gas Tube Surge Protector, NF/NF	3	5
OMMUNICATIONS H		HCB-6000	Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TV//CVI/CVBS	1	\$
OMMUNICATIONS H		HCD-7070R	Hanwha Analog 4MP Wisenet HD+ Indoor outdoor Dome Camera	4	\$
OMMUNICATIONS H	lanwha	HCO-7010R HD2SM	Harrwha Analog, 4MP Wisenet HD+ Bullet Camera	1	5
OMMUNICATIONS R	RF Elements	HG3-TP-S30	Harger, Cable to Flat Plate, #2 Solid RF-Elements: SGHz Symmetrical Horn TwistPort 30	2	\$
OMMUNICATIONS R	RF Elements	HG3-TP-S50	RF-Elements: 5GHz Symmetrical Horn TwistPort 50	5	\$
OMMUNICATIONS	1 M 1 M 1	IBR-12	Transient Voltage Surge Protector	1	5
OMMUNICATIONS K	Performance		KP Performance KPPA-2GHZDP120S-WC 2GHz 15dBi Sector Gen3 w/Case & Cables Support/Molet Grin 1/2 superflex	1 6	5
OMMUNICATIONS A	NDREWS	L4SGRIP L4TNF-PSA	Support/Hoist Grip 1/2 superflex N FEMALE CONNECTOR FOR 1/2" HELIAX	6	5
OMMUNICATIONS A	NDREWS	L4TNM-PSA	NMALE POSITIVE STOP FOR LDF4-50A	25	\$
OMMUNICATIONS A	NDREWS	LDF4-50A	1/2" FOAM DIALECTRIC HELIAX CABLE	550	5
OMMUNICATIONS U	Ibiquiti Networks	LOCOM9	LOCOM, 900MHZ, 7.5DBI, 2X2, AIRMAX Ubiquiti NanoStation Loco M900, US, LocoM900-US	18	5
OMMUNICATIONS 0	VianMall	LocoM9-US LSR131-100PK	Ubiquiti Nanoslation Loco Metu, US, Locometu-US Single Wall Bushing - White	1	S
OMMUNICATIONS C		LSR139-100PK	SINGLE FOLDING SCREW CLIP- BLACK	40	\$
DMMUNICATIONS V	VlanMall	LSR146-100PK	Single Wall Bushing - Black	1	\$
OMMUNICATIONS		MCPT-1412	14/2 & 1/2" Superflex Easiax Cable Strip Tool	1	5
DMMUNICATIONS P	CTel	MCPT-L4 MHB-5800	1/2" LDF4-50 Easiax Prep Tool PCTel, 144-174 MHz 5/8 Wave Antenna, Chrome Coll	1	\$
DMMUNICATIONS C		MTS-200	S200 24*, STAND-OFFS, 1-7/8*X 24*	6	\$
OMMUNICATIONS P		MUF4305	PCTel, 430-450 MHz, 200 Watta, 5dB Ga Collinear Antenna, Chrome	1	5
OMMUNICATIONS U	Jbiquiti Networks	NBE-5AC-Gen2-US	Ubiquiti: 5GHz NanoBeam ac Gen2 CPE 19dBl US Larsen 27-30 MHz Base Loaded Unity Antenna, Black	5	S
DMMUNICATIONS L	arsen	NMO27B NMOKNOCONN	Larsen, 0-1000 MHz, MNO 3/4" mount, No conn.	10	s
DMMUNICATIONS U		NS-5AC-US	Ubiquit, 5GHz NanoStation 5AC US	3	\$
OMMUNICATIONS L		NS3035	Laird, Noise Suppressor 30 AMP	3	5
OMMUNICATIONS U	Ibiquiti Networks	PBE-5AC-GEN2-US PBE-M2-400-5-US	Ubiquiti Networks PBE-5AC-GEN2-US 5GHz PowerBeam ac Gen2 25dBi US	218	\$ 2
OMMUNICATIONS U		PBE-M2-400-5-US PBE-M5-400-5-US	Ubiquiti PowerBeam M2 18dbi, US 5-Pack, PBE-M2-400-5-US Ubiquiti PowerBeam M5 25dBi, US 5-PACK, PBE-M5-400-5-US	9	5
OMMUNICATIONS U		PBE-M5-400-US	Ubiquiti PowerBeam M5 25dBi, US, PBE-M5-400-US	3	\$
OMMUNICATIONS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PC3213	SINCLAIR, 406-512 MHz Intermod Panel	2	\$ 1
DMMUNICATIONS A	PC	PCLIP-SINGLE-100PK	Single Cable Folding Screw Clip -Black SCHNEIDER ELECTRIC IT USA APC PNETR6 1-Outlet Surge Suppressor - Network RM CAT6 NETWORK MODULE 1U	5	5
DMMUNICATIONS A		PNETR6 PRM24	SCHNEIDER ELECTRIC IT USA APC PNETR6 1-Outlet Surge Suppressor - Network RM CAT6 NETWORK MODULE 1U RM 1U CHASSIS RM 1U 24 CHANNELS	24	5
OMMUNICATIONS M	AikroTik	RB2011IL-IN	MikroTik Indoor 10 Port RouterBoard, RB2011IL-IN	1	5
OMMUNICATIONS R	tack Solutions	RELAY-RACK-45-B-12	Innovation First / Rack Solutions Innovation RackSolutions 2 Post Relay Rack - 42U FINISH 12-24 THREAD	1	5
OMMUNICATIONS R	(-INDUST	RFB-1106-2TC1 RFN-1005-C1	BNC MALE CRIMP-RG142	10	5
OMMUNICATIONS R	FINDUST	RFN-1005-C1 RFN-1006-49I	N male connector for RG55, RG223, RG142, Belden 8219 & 9907 N MALE CRIMP FOR LMR400, CNT400	10 20	5
OMMUNICATIONS		RFU-502-H1	UHF Male for 1/2" LDF4-50A, LCF12-50J	1	\$
DMMUNICATIONS R		RFU-505-C1	UHF MALE CRIMP-RG142	10	\$
OMMUNICATIONS P	anduit	RGTS-CY	Panduit RGTS-CY Thread-forming Screw - 12 - 0.50" - 100 / Pack FORM 12-24/100	1	5
DMMUNICATIONS		RM-35M-BB RM-7512M	Astron Power Supply, Rack Mount, Linear, Regulated, Dual Meter, 35 A at 13.8 Vdc Peak Output, with Battery Backup, 120 Vac Input Duracomm, AC/DC Rack Mount Power Supply with Meter, Input 110/220VAC, Output 13.8VDC, 75A	2	5
OMMUNICATIONS N	letonix	RMK-250	Netonix Rack Mounting Kit, RMK-250	3	5
DMMUNICATIONS U	biquiti Networks	ROCKETM2-US	802.11N MIMO, 2.4GHZ ROCKET AP	3	\$
DMMUNICATIONS U	Diquiti Networks	ROCKETM900	ROCKETM, 900MHZ, 2X2, AIRMAX	5	5
DMMUNICATIONS U	biquiti Networke	ROXCRL4/9 RP-5AC-GEN2-US	4* Seal for 9 Cables .138* Thru .65* OD	6 21	5 4
OMMUNICATIONS	- quie rectroins	RP7500A	MimoTik POE Battery Power Pack 4-in-1 USB DC Passive POE Light Weight High Capacity	21	5
OMMUNICATIONS	Seattle 1	RR-1264-BT	66.5" x 19" Open Rack with Chassis Base, Black	1	\$
OMMUNICATIONS		RS-20A	Astron Power Supply, Linear, Regulated, 20 A at 13.8 Vdc Peak Output, 120 Vac Input, Each	3	\$
OMMUNICATIONS H	lanwhe	RT2S2SB SCO-6083R	Harger, Tee Connection, #2 Solid	1	5
DMMUNICATIONS H	BITWING		Hanwha 1080p Full-HD Analog Bullet IR Camera Screw 10-32 x 5/8" (25 Pack)	4	5
DMMUNICATIONS R		SCREW-1032-750-50PK	Rack Solutions 10-32 x 3/4th, 50pk Rack Screws	1	\$
DMMUNICATIONS R	tack Solutions	SCREW-1224-375-25PK	Rack Solutiona 12-24 x 3/8th, 25pk Rack Screwa	2	\$
DMMUNICATIONS H	lanwha	SCV-6083R	Hanwha 1080p Full-HD IR Vandal-Resistant Dome Camera	6	5
OMMUNICATIONS R	In Elements		RF-Elementa: CARRIER CLASS 2.4GHz 14dBi 2/2 HV SureGround Grounding Kit, (1/2 in)	1 12	5
MMUNICATIONS R	F Elements		Surecround Grounding Kit, (1/2 in) RF-Elements: 5GHz Symmetrical Hom TwistPort 50	12	5
DMMUNICATIONS H	lanwha	SHB-4300H1	Samsung Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower, SHB-4300H1	1	\$
DMMUNICATIONS S	IAE	SIAE-P20032	SIAE ALFO Plus80 RJ45 Waterproof IP67 Connector, SIAE-P20032	5	\$
MMUNICATIONS S	IAE		ALFOplus2 RJ45 waterproof IP67 Connector (Rosenberger) APC SMART-UPS 1500VA 2U LCD RM 120V	2	\$
DMMUNICATIONS T	dino I ite	SMC15002URM			\$ 1

LEADER COMMUNICATIONS		SYS-5018D-FN4T	Supermicro 5018D-FN4T Xeon D-1541 8-Core Front IO Mini 1U Rackmount w/ Dual 10GbE	2	\$	2,802.75
LEADER COMMUNICATIONS		SYS-5019S-M	Supermicro 5019S-M 4-Bay 3.5" Hot-Swap SATA III RAID SuperServer (1 RU)	1	\$	1,435.3
LEADER COMMUNICATIONS	Ubiquiti Networks	TC-CON-100	Ubiquiti Tough Cable Connectors, 100 Pack, TC-CON-100	4	\$	182.3
LEADER COMMUNICATIONS		TC375	Cable Tie Stand-Off Brackets Mounting Base .75x3.65" Natural Nylon 6.6 Screw Mounting- #8 Screw For Use with Cable Ties Up to 50 lbs.	100	\$	139.0
LEADER COMMUNICATIONS		TDS8PC6	Category 6 Rated RJ45 Crimp Plug (8X8) - Shielded - Pkg/50	1	\$	86.6
LEADER COMMUNICATIONS	TP-Link	TL-SF1008D	TP-LINK TL-SF1008D 8-port 10/100Mbps Desktop Switch - 8 Ports - 8 x RJ-45 - 10/100Bese-TX 8/10/100M & PLASTIC CASE	10	\$	186.3
LEADER COMMUNICATIONS	TP-Link	TL-WR841N	WIRELESS N300 HOME ROUTER, 300MPBS	143	\$	2,380.0
LEADER COMMUNICATIONS	RF Elements	TP-ADAPT-R5AC-PRISM	RF Elements Twistport Adaptor for Rocket 5AC Prism	3	\$	118.9
LEADER COMMUNICATIONS	RF Elements	TPA-PAF	RF-Elements: TP Adapt-Rocket Prism 5AC and AF-5X	7	\$	300.8
LEADER COMMUNICATIONS		TPRD-1554	TELEWAVE 144-174 MHz pass/rej. duplexer. 350 watt	1	\$	1,397.8
LEADER COMMUNICATIONS	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TPRD-4544	TELEWAVE, 450-470 MHz Duplexer	2	\$	3,060.2
LEADER COMMUNICATIONS	ROHN	TRT36	3FT Tripod Mount, Supports up to a 2-3/8" Mast (sold separately)	3	\$	118.14
LEADER COMMUNICATIONS		TS-MPPT-60	Momingstar 12/24/36/48 Volts, 60 AMPS SOLAR INPUT (A), 4W LOAD (A), SOLAR CHARGE CONTROLLER	4	\$	2,033.3
LEADER COMMUNICATIONS		TSC10-NUWTUBE90	Harger, UWM90 Weld Metal NuwTube	2	\$	100.12
LEADER COMMUNICATIONS		TSC20-NUWTUBE45	Harger, UWM45 Weld Metal NuwTube	2	\$	115.8
LEADER COMMUNICATIONS		TSC20-NUWTUBE65	Harger, UWM65 Weld Metal NuwTube	2	5	143.8
LEADER COMMUNICATIONS	1	TTS3-7515	3-way Stand-off Adapter for .75*1.5* round member	3	5	227.6
LEADER COMMUNICATIONS	Ubiquiti Networks	UAP-AC-LR-5-US	Ubiquiti 5 PACK of UniFi AC Long Range Indoor AP, UAP-AC-LR-5-US	4	\$	1,686.9
LEADER COMMUNICATIONS	Ubiquiti Networks	UAP-AC-LR-US	Ubiquiti UniFi AC Long Range Indoor AP, UAP-AC-LR-US	5	5	457.6
LEADER COMMUNICATIONS		UAP-AC-M-US	UniFIAC Mesh, 802,11ac,1,27GB Wireless Access Point - 2.4GHz, 5GHz	7	5	595.0
LEADER COMMUNICATIONS			UBIQUITI UNIVERSAL ARM MOUNT-10 PK	14	S	731.6
LEADER COMMUNICATIONS		UC-CK-US	Ubiquiti UniFi Controller Cloud Key	1	S	98.2
LEADER COMMUNICATIONS		UGBKIT-0212	COMMSCOPE UGBKIT-0212 Copper Ground Buss Bar, 1/4 in x 2 in x 12 in	1	S	52.0
LEADER COMMUNICATIONS		UHF-REPEATER-LIC	UHF receater license	3	5	1,205.1
LEADER COMMUNICATIONS		UPC2	Universal Pipe-to-Pipe Clamp Sets 1-1/4th* to 10" Pipe or Mast	1	5	95.0
LEADER COMMUNICATIONS	Ubiquiti Networks	UWB-XG	Ubiguiti Beam Forming BaseStation 1500 Client US	1	S	1.194.5
LEADER COMMUNICATIONS		UWTOOLKIT	Harger, Ultraweld Tool Kit	1	S	222.1
LEADER COMMUNICATIONS		VA2SB	Harger, Cable to Vertical Steel at 45 Deg. Angle, #2 Solid	1	S	77.8
LEADER COMMUNICATIONS		VU2SV1.5X4B	Harger, Cable to Vertical Steel Pipe, #2 Solid	1	S	77.8
LEADER COMMUNICATIONS		WL-SLIMRUN-CAT6-5FT	WLANMall SlimRun Cat6A Ethernet Patch Cable, 5ft - 10pk	22	S	376.8
LEADER COMMUNICATIONS	Netonix	WS-12-250-DC	Netonix 12 Port Wisp Switch, WS-12-250-DC	3	5	997.9
LEADER COMMUNICATIONS		WS-12-400-AC	Netonix 14 Port Wise Switch, WS-12-400-AC	4	s	1,370.8
LEADER COMMUNICATIONS		WS-6-MINI	Netonix 6 Port Wiso Switch, WS-6-MINI	1	5	130.1
LEADER COMMUNICATIONS		WSAA-USS	Stainless Steel Universal Angle Adapter with 2 3/4 Holes. Insert included for 3/8 Threaded Holes.	3	S	125.9
LEADER COMMUNICATIONS	WIRESOLU	WSGB-4X14-IS	1/4X4X14* GROUND BUSS BAR	7	S	319.1
Raymond Hossfeld			Labor for installation of broadband equipment		s	40,499.5
Jason Frawley		1.12	Labor for installetion of broadband equipment			38.827.2
					1-	00,021.2
		and the second se		1887		177,772.8