

Marvin M. Smith, ISB No. 2236  
HAWLEY TROXELL ENNIS & HAWLEY LLP  
2010 Jennie Lee Drive  
Idaho Falls, ID 83404  
Telephone: 208.529.3005  
Facsimile: 208.529.3065  
Email: mmsmith@hawleytroxell.com

*Attorney for Island Park Water Company*

**BEFORE THE IDAHO PUBLIC UTILITIES COMMISSION**

**IN THE MATTER OF ISLAND PARK  
WATER COMPANY'S FAILURE TO  
COMPLY WITH IDAHO PUBLIC  
UTILITIES COMMISSION REPORTING  
AND FISCAL REQUIREMENTS,**

**CASE NO. ISL-W-23-01**

**ISLAND PARK WATER COMPANY'S  
VERIFIED RESPONSE TO FINAL  
ORDER NO. 35817, DATED JUNE 14,  
2023**

The Island Park Water Company (hereinafter IPWC or the Company) responds to the Idaho Public Utilities Commission's Final Order, Order No. 35817, dated June 14, 2023, more particularly, Page 31, last paragraph regarding addressing customer's testimony about paying prior owner's bills, as follows:

1. Attached hereto as Exhibit A is a true and correct copy of a transaction report for Debra and Wade Wilcox showing all invoices sent to, and payments received from, Debra and Wade Wilcox, along with a property detail report showing the date the property at issue was purchased by Debra and Wade Wilcox.

2. Attached hereto as Exhibit B is a true and correct copy of a transaction report for Thompson Ventures, LLC/KT Construction (Kim and Amy Thompson) showing all invoices sent to, and payments received from, Thompson Ventures, LLC/KT Construction (Kim and Amy Thompson), along with a property detail report showing the date the property at issue was purchased by Kim and Amy Thompson.

Further, IPWC responds to the Idaho Public Utilities Commission's Final Order, Order No. 35817, dated June 14, 2023, more particularly, Page 32, the first paragraph regarding IPWC's failure to provide safe and reliable service to customers as follows:

3. Attached hereto as Exhibit C are true and correct copies of Water test results from Teton Microbiology which show that all samples taken from the noted wells were "absent" any contaminants (samples collected March 7, 2023, March 19, 2023, March 21, 2023, and March 28, 2023).

DATED THIS 28<sup>th</sup> day of June, 2023.

HAWLEY TROXELL ENNIS & HAWLEY LLP

By   
Marvin M. Smith  
*Attorneys for Island Park Water Company*

VERIFICATION

Dorothy McCarty, Pres./Sec for Island Park Water Company, being first duly sworn upon oath, deposes and says:

That she is the Pres/Sec, for Island Park Water Company in the above-entitled action, that she has read the within and foregoing Island Park Water Company's Verified Response to Final Order No. 35817, dated June 14, 2023, and that the statements therein contained are true.

Dorothy McCarty  
Dorothy McCarty

President/Secretary  
Title

STATE OF IDAHO )  
 ) ss.  
County of Bonneville )

On this 23<sup>rd</sup> day of June, 2023, before me, a Notary Public in and for said State, personally appeared Dorothy McCarty, known or identified to me to be the President/Secretary of Island Park Water Company, the corporation that executed the within instrument or the person who executed the instrument on behalf of said corporation, and acknowledged to me that such corporation executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Cheri Vandermeulen  
Notary Public for Idaho  
Residing at Idaho Falls  
My commission expires 2-13-2023

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that on the 23<sup>rd</sup> day of June, 2023, I caused to be served a true copy of the foregoing ISLAND PARK COMPANY'S VERIFIED RESPONSE TO FINAL ORDER NO. 35817, DATED JUNE 14, 2023, by the method indicated below, and addressed to each of the following:

*Attorney for Commission Staff*

Claire Sharp  
Deputy Attorney General  
State General Counsel & Fair Hearings Division  
Public Utilities Commission  
11331 W. Chinden Blvd., Building 8, Suite 201-A  
Boise, ID 83714

- U.S. Mail, Postage Prepaid
- Hand Delivered
- Overnight Mail
- E-mail:  
claire.sharp@puc.idaho.gov
- Facsimile
- iCourt



Marvin M. Smith, ISB No. 2236

**EXHIBIT "A"**

**Island Park Water Company, Inc.**  
**Customer QuickReport**  
All Transactions

Type	Date	Num	Memo	Account	Clr	Split	Amount
<b>Wilcox, Debra &amp; Wade</b>							
Invoice	08/23/2012	2012-...		14100 - Accounts R...		46000 - tarriff r...	140.00
Invoice	06/21/2013	FC 3413	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	06/21/2013	2013-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	07/02/2013	2666		12000 - Undeposite...	X	14100 - Accou...	280.00
Payment	07/31/2013	2668		12000 - Undeposite...	X	14100 - Accou...	140.00
Invoice	06/16/2014	FC 3687	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Payment	06/24/2014	2757		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	06/30/2014	2014-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Invoice	01/24/2015	FC 3979	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	02/25/2015	FC 4181	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	03/26/2015	FC 4317	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	04/01/2015	2015-...	2015 water ta...	14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	04/30/2015	2947	Wilcox - still p...	12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	05/31/2015	FC 4597	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	08/27/2015	FC 4745	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	09/25/2015	FC 4975	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	10/20/2015	FC 5117	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	11/30/2015	FC 5335	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	12/30/2015	FC 5439	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	01/15/2016	FC 5831	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	02/15/2016	FC 5929	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	03/15/2016	FC 6027	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	04/01/2016	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	08/16/2016	3044		12000 - Undeposite...	X	14100 - Accou...	420.00
Invoice	03/02/2017	FC 6395	Finance Charge	14100 - Accounts R...		-SPLIT-	0.00
Invoice	04/01/2017	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	07/24/2017	3136		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	08/01/2017	FC 6918	Finance Charge	14100 - Accounts R...		46000 - tarriff r...	0.00
Payment	03/19/2018	3185		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	04/01/2018	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Invoice	04/01/2019	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	04/10/2019	5285	remove shoul...	12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	06/12/2019	2015-...		14100 - Accounts R...		46000 - tarriff r...	0.00
Invoice	04/01/2020	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	04/01/2020	3342		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	08/10/2020	2015-...		14100 - Accounts R...		46000 - tarriff r...	0.00
Payment	02/22/2021	3414		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	04/01/2021	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	03/16/2022	3497		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	04/01/2022	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00
Payment	02/24/2023	3580		12000 - Undeposite...	X	14100 - Accou...	280.00
Invoice	06/01/2023	2015-...		14100 - Accounts R...		46000 - tarriff r...	280.00

# RP001550210150 Property Detail

Physical Address: 4033 PAWNEE RD (zip code 83429) Tax Code Area: 035000 Tax Year: 2022

Mailing Address:  
 WILCOX DEBRA  
 WILCOX WADE  
 555 LENA LN  
 BLACKFOOT, ID 83221-2538

Location:  
 SHOTGUN VILLAGE EST #5 LOT 15 BLK 21 SEC  
 12 TWP 13 RGE 42

Deeds  
 539764 2012-08-03  
 539341 2012-07-10  
 526094 2009-12-18  
 367074  
 507395  
 491652  
 491653

Classes for Assessment Year 2023 (Last appraised in 2020)

Rural Residential Subdivision	0.300	\$ 66,500
Improvements on Land		\$ 530
Improvements on Land Category 15		\$ 219,594
Improvements on Land Category 15		\$ 54,212
Total Assessed Value:		\$ 340,836

2022 Taxes & Certified Charges:

Taxing Districts	Levy
COUNTY	0.003350590
SCHOOL 215 TORT	0.000010876
SCHOOL 215 BOND 2004-2021	0.000341336
SCHOOL 215 PLNT FCLT 2021-2031	0.000098650
SCHOOL 215 BOND 2008-2024	0.000349908
SCHOOL 215 SUPP 2021-2022	0.000493251
I P FIRE	0.000128731
N F HOSPITAL	0.000175825
FREMONT LIBRARY	0.000179546
AMBULANCE	0.000136845
AMBULANCE	0.000079791
VERRIDE 2021-22	

FREMONT - ZONE 4 SCHOOL DISTR  
 Fremont Library District Zone 1

Precinct	Polling Place
1	EMS Building

This information is provided as a courtesy to taxpayers. If this parcel has changed ownership, been split or combined with another parcel, and assessment data shown may not be current. For more information, please contact the appropriate county office.

## Residential Improvement built in 0

Bedrooms : 0      Bathrooms : 0.00  
 Ground Floor : 0 sq. ft. Upper Floor :  
 Lower Floor Unfinished :      Finished :  
 Lower Floor Unfinished :      Finished :  
 Basement Unfinished :      Finished :  
 Attic Unfinished :      Finished :  
 Detached Garage : 768  
    : 0

## Residential Improvement built in 1980

Bedrooms : 0      Bathrooms : 0.00

**EXHIBIT "B"**



3:27 PM

06/21/23

Island Park Water Company, Inc.  
Customer QuickReport  
All Transactions

---

Type	Date	Num	Memo	Account	Clr	Split	Amount
Thompson Ventures LLC KT Construction							
Invoice	10/16/2019	2015-...		14100 · Accounts R...		46000 · tarriff r...	200.00
Invoice	04/01/2020	2015-...		14100 · Accounts R...		46000 · tarriff r ..	280.00
Payment	06/29/2020	5218		12000 · Undeposite...	X	14100 · Accou ..	480.00
Payment	03/11/2021	5267		12000 · Undeposite...	X	14100 · Accou...	280.00
Invoice	04/01/2021	2015-...		14100 · Accounts R...		46000 · tarriff r...	280.00
Payment	03/22/2022	6302 ...		12000 · Undeposite...	X	14100 · Accou...	280.00
Invoice	04/01/2022	2015-...		14100 · Accounts R...		46000 · tarriff r...	280.00
Invoice	06/01/2023	2015-...		14100 · Accounts R...		46000 · tarriff r...	280.00

# RP00209002009A Property Detail

Physical Address: 5154 JONES DR (zip code 83429)		Tax Code Area: 038000 Tax Year: 2022	
Mailing Address: THOMPSON KIM THOMPSON AMY 3774 E 800 N RIGBY, ID 83442-5018		2022 Taxes & Certified Charges:	
Location: VALLEY VIEW SUB #1 LOTS 9-9A BLK 2 SEC 13 TWP 15 RGE 43		Taxing Districts                      Levy	
Deeds 588967 2021-08-19 575799 2019-09-27 575800 2019-09-27 558729 2016-06-23 422461 424014		COUNTY                                      0.003350590 SCHOOL 215 TORT                      0.000010876 SCHOOL 215 BOND                      0.000341336 2004-2021 SCHOOL 215 PLNT                      0.000098650 FCLT 2021-2031 SCHOOL 215 BOND                      0.000349908 2008-2024 SCHOOL 215 SUPP                      0.000493251 2021-2022 I P FIRE                                      0.000128731 N F HOSPITAL                              0.000175825 FREMONT LIBRARY                      0.000179546 AMBULANCE                              0.000136845 AMBULANCE                              0.000079791 OVERRIDE 2021-22	
Classes for Assessment Year 2023 (Last appraised in 2022)		FREMONT - ZONE 4 SCHOOL DISTRICT Fremont Library District Zone 1	
Rural Residential Subdivision	0.500	\$ 27,075	Precinct
Improvements on Land		\$ 650	1
Improvements on Land		\$ 264,501	Polling Place
Category 15			EMS Building
Total Assessed Value:		\$ 292,226	
This information is provided as a courtesy to our taxpayers. If this parcel has changed or been split or combined with another parcel, assessment data shown may not apply. For more information, please contact the county office.			

## Residential Improvement built in 0

Bedrooms :	0	Bathrooms :	0.00
Ground Floor :	0 sq. ft.	Upper Floor :	
Lower Floor Unfinished :		Finished :	
Lower Floor Unfinished :		Finished :	
Basement Unfinished :		Finished :	
Attic Unfinished :		Finished :	
	: 0		
	: 0		

## Residential Improvement built in 1992

Bedrooms :	1	Bathrooms :	1.00
------------	---	-------------	------

**EXHIBIT "C"**

Island Park Water Co.

Water System Name: **Valley View Subd.** PWS ID No: **7220150**

Collector: **Kim Thompson** Collect Date: **3-7-23** County: **Frederick**

Person Transporting Sample: **Kim Thompson** For Lab Use:

Condition of Transport:  Cooled  Carrier  Mail  Other

Report Results To: **DEQ**

Phone Number: **208-887-7724**



Billing Address: **DEQ**

Email:

Phone:

Fax:

**TETON MICROBIOLOGY LABORATORY ID: ID00969**  
**300 S. Freeman Ave Idaho Falls, IDAHO 83401**  
**Office: 208-529-0077 -- Fax: 208-522-3797 tetonmicro.com**

Public Water System  
 Private System

Preserved With Sodium Thiosulfate

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #100ml	(P)resent (A)bsent	Method Code #100ml	(P)resent (A)bsent
#1	230308701	C	5154 Jones Dr (Sage 28 Hillside)	3:28		3-7-23	9223B-PA	A	9223B-PA	A
#2	230308702	C	Henry's Lake Station	3:36		3-7-23	9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

Routine Sample  Construction/Special  W (Unlabeled Source)

Enforcement (Chain of Custody Required)

Repeat Sample  U-Upstream Repeat  D-Downstream Repeat  Filter Repeat

(A) Original Tap

**Chain-of-Custody Information**

Relinquished by	Date	Time	Received by	Date	Time
<i>[Signature]</i>	3/8	9:00 AM	Joe Row		
Relinquished by	Date	Time	Received by	Date	Time

DATE/TIME RECEIVED: **3/8/23 9:00 AM** ANALYST: **Angie Jte**

DATE/TIME ANALYZE: **3/8/23 1633** SUPERVISOR: **ID00969**

DATE/TIME READ: **3/9/23 1219** LAB ID #: **100969**

REMARKS:

Sand Results To:  DEQ  DEQPH  Dist 7  Other  Dist 6

**Teton Microbiology Laboratory**  
**300 S. Freeman Ave.**  
**Idaho Falls, ID 83401**

Water System Name: ASPEN RIDGE SUBD  
 PWS ID no: ID7220007  
 Collector: THOLT  
 County: FREMONT  
 Collect Date: 5-19-2023  
 Person Transporting Sample:  
 Condition of Transport:  Cooled  Carrier  Mail  Other  
 Report Results To:  
 Island Park Water Co  
 Attn: Dorothy McCarty  
 PO Box 2521  
 Idaho Falls, ID 83403  
 Phone Number: (208) 521-2369  
 Fax Number: (208) 529-9210



Billing Address:  
 Island Park Water Co  
 1455 Const. Station  
 Idaho Falls, ID 83403 83402  
 Email: ~~water@idaho.net~~  
 Phone: (208) 521-2369  
 Fax: (208) 529-9210

Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate

TETON MICROBIOLOGY LABORATORY ID: ID00969  
 300 S. Freeman Ave Idaho Falls, IDAHO 83401  
 Office: 208-529-0077 -- Fax: 208-522-3797 tetonmicro.com

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #/100ml	(P)resent (A)bsent	Method Code #/100ml	(P)resent (A)bsent
#1	230324001	S	4991 ELK	3:30 PM			9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

S-Routine Sample C-Construction/Special W-Untreated(Source) F-Enforcement (Chain of Custody Required)  
 P-Repeat Sample U-Upstream Repeat D-Downstream Repeat X-Other Repeat  
 (At Original Tap)

Chain-of-Custody Information


Relinquished by: *Dorothy McCarty* Date: 5-20-23 Time: 12:55  
 Received by: *Cyle Jett*  
 Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

DATE/TIME RECEIVED: 5-20, 12:55 ANALYST: *Cyle Jett*  
 DATE/TIME ANALYZE: 3/20/23 16:52 SUPERVISOR: \_\_\_\_\_  
 DATE/TIME READ: 3/21/23 12:15 LAB ID #: ID00969  
 REMARKS: Teton Microbiology Laboratory 300 S. Freeman Ave. ID 83401  
 Idaho Falls, ID 83401

Note: only available source to collect sample THPMc  
 After multiple times try ing of per agreement with DEQ - Martin Feist named this site sampling site was used due to lack of accessibility due

Water System Name: Valley View PWS ID no: PWS ID 722016  
 Collectors: THOCT Collect Date: 3-19-2023 County: Fremont Co  
 DWL County  
 Person Transporting Sample  
 Condition of Transport:  Leaked  Carrier  Mail  Other  
 Report Results To:  
ISLAND PARK WATER CO, INC  
455 CONSTITUTION WAY  
IDAHO FALLS, ID 83402  
 Phone Number: 208-521-2369 Fax Number: 208-529-9210

Billing Address:  
ISLAND PARK WATER  
455 CONSTITUTION WAY  
IDAHO FALLS, ID. 83402  
 Email: Water@idaho.net  
 Phone: 208-521-2369  
 Fax: 208-529-9210



**Teton Microbiology**  
 Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate  
**TETON MICROBIOLOGY LABORATORY ID: ID00969**  
300 S. Freeman Ave Idaho Falls, IDAHO 83401  
 Office: 208-529-0077 -- Fax: 208-522-3797 tetonmicro.com

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #100ml	(P) Present (A) Absent	Method Code #100ml	(P) Present (A) Absent
#2	230324002 S		5160 Hwy 20	3:00 pm			9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

Routine Sample  Construction/Special  W-Untreated(Source)  
 Enforcement (Chain of Custody Required)  P-Repeat Sample  U-Upstream Repeat  D-Downstream Repeat  X-Other Repeat  
 (At Original Tap)

**Chain-of-Custody Information**

Relinquished by <u>Donna McCalister</u>	Date <u>3/20/23</u>	Time <u>12:55</u>	Received by <u>Cyber Jett</u>	Udate <u>Teton Microbiology Laboratory</u>	Received by <u>Teton Microbiology Laboratory</u>
Relinquished by	Date	Time	Received by	Udate	Received by

ANALYST: Cyber Jett  
 SUPERVISOR: 1652 at ID00969  
 DATE/TIME ANALYZE: 3/20/23  
 DATE/TIME READ: 3/21/23 1215 at  
 REMARKS: Only location available to collect sample TH(P)MC  
Only location available to sample from due to snow depths - Don Calister

DEQ  DEQPH  
 Dist 7  Other  
 Dist 6

Water System Name: SHOTGUN CHEROKEE SUBD 5  
 PWS ID no: ID7220063  
 Collector: THX  
 Collect Date: 3-19-2023  
 County: Fremont  
 Person Transporting Sample: DMcCarthy  
 Condition of Transport:  Cooled  Carrier  Mail  Other  
 Report Results To: Island Park Water Co  
 Attn: Dorothy McCarty  
 PO Box 2521  
 Idaho Falls, ID 83403  
 Phone Number: (208) 521-2369  
 For Lab Use: Fax Number: (208) 529-9210



Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate

TETON MICROBIOLOGY LABORATORY ID: ID00969  
 300 S. Freeman Ave Idaho Falls, IDAHO 83401  
 Office: 208-529-0077 -- Fax: 208-522-3797 tetonmicro.com

Billing Address:  
 Island Park Water Co  
 455 Constitution Way  
 Idaho Falls, ID 83402  
 Email: Water@idaho.net  
 Phone: (208) 521-2369  
 Fax: (208) 529-9210

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #100ml	(P)resent (A)bsent	Method Code #100ml	(P)resent (A)bsent
#3	230324002		4034 Chockaw	5:00 PM			9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

S - Routine Sample C - Construction/Special W - Untreated(Source)  
 E - Enforcement (Chain of Custody Required) P - Repeat Sample U - Upstream Repeat D - Downstream Repeat X - Other Repeat (At Original Tap)

Chain-of-Custody Information

Relinquished by: Dorothy McCarty Date: 3-20-23 Time: 12:55  
 Received by: Cyle Jtz Date: 3-20-23 Time: 12:55  
 Relinquished by: Date: Time:  
 Received by: Date: Time:  
 ANALYST: Cyle Jtz  
 SUPERVISOR: TH PM  
 LAB ID #: ID00969  
 REMARKS: 300 S. Freeman Ave, Idaho Falls, ID 83401  
 Dist 7  Other  Dist 6

Only available location to collect sample  
 After multiple attempts to access to original site sample plan per agreement with D&S - (Mia first named this location was used - due to lack of access to site on site sample plan. Do not clarify

Water System Name: SHOTGUN SOUTH STEVENS LANE  
 PWS ID no: X Should not be PWS ID7220066  
 Collector: THUT Collect Date: 3/19/2023  
 County: Fremont Co.  
 Person Transporting Sample: DMCarty  
 Condition of Transport:  Cooled  Carrier  Mail  Other  
 Report Results To:  
 Island Park Water Co  
 Attn. Dorothy McCarty  
 PO Box 2521  
 Idaho Falls, ID 83403  
 Phone Number: (208) 521-2369  
 Fax Number: (208) 529-9210

Billing Address:  
 Island Park Water Co  
 455 Parsholtson Way  
 Idaho Falls, ID 83402  
 Phone: (208) 521-2369  
 Fax: (208) 529-9210  
 Email: ~~water@idwr.net~~



Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate  
 TETON MICROBIOLOGY LABORATORY ID: ID00969  
 300 S. Freeman Ave Idaho Falls, IDAHO 83401  
 Office: 208-529-0077 -- Fax: 208-522-3797 [tetonmicro.com](http://tetonmicro.com)

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Total Coliforms		Escherichia Coli	
						Method Code #100ml	(P)resent (A)bsent	Method Code #100ml	(P)resent (A)bsent
#4	230324004	S	3430 Yak-Kilgore	4:30 pm		9223B-PA	A	9223B-PA	A
						9223B-PA		9223B-PA	
						9223B-PA		9223B-PA	
						9223B-PA		9223B-PA	
						9223B-PA		9223B-PA	

S - Routine Sample C - Construction/Special W - Untreated (Source)  
 E - Enforcement (Chain of Custody Required) P - Repeat Sample U - Upstream Repeat D - Downstream Repeat X - Other Repeat  
 (At Original Tap)

Chain-of-Custody Information

Relinquished by: Dorothy McCarty Date: 3/20/23 Time: 12:55  
 Relinquished by: Cylen Jtz Date: 3/20/23 Time: 12:55  
 Relinquished by: Cylen Jtz Date: 3/21/23 Time: 12:15  
 Relinquished by: Cylen Jtz Date: 3/21/23 Time: 12:15  
 DATE/TIME RECEIVED: 3-20-23 12:55 ANALYST: Cylen Jtz  
 DATE/TIME ANALYZE: 3/20/23 1652:04 SUPERVISOR: \_\_\_\_\_  
 DATE/TIME READ: 3/21/23 12:15 LAB ID #: ID00969  
 REMARKS: 300 S. Freeman Ave Idaho Falls, ID 83401  
 Teton Microbiology Laboratory  
 300 S. Freeman Ave Idaho Falls, ID 83401  
 Dis 6

Only available source to collect sample  
 \*should not be a PWS. TH|PMC  
 This location is 1st Quarter  
 alternating location - Jtz  
 Again - the PWS does not qualify for  
 @ DMS. TH|PMC



Water System Name: SHOTGUN KICKAPOO SUBD 6  
 PWS ID no: ID7220064  
 Collector: THOCT  
 Collect Date: 3-19-2023  
 County: Fremont CO  
 Person Transporting Sample:  Cooled  Carrier  Mail  Other  
 Condition of Transport:  For Lab Use:  
 Report Results To: Island Park Water Co  
 Attn: Dorothy McCarty  
 PO Box 2521  
 Idaho Falls, ID 83403  
 Phone Number: (208) 521-2369  
 Fax Number: (208) 529-9210



Billing Address:  
 Island Park Water Co  
 455 Construction Way  
 Idaho Falls, ID 83402  
 Email: [water@id.net](mailto:water@id.net)  
 Phone: (208) 521-2369  
 Fax: (208) 529-9210

Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate  
 TETON MICROBIOLOGY LABORATORY ID: ID00969  
 300 S. Freeman Ave Idaho Falls, IDAHO 83401  
 Office: 208-529-0077 -- Fax: 208-522-3797 [tetonmicro.com](http://tetonmicro.com)

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #100ml	(P)resent (A)bsent	Method Code #100ml	(P)resent (A)bsent
A5	230327005	S	4043 Kickapoo	4:00 pm			9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

S-Routine Sample C-Construction/Special W-Unreated (Source) E-Enforcement (Chain of Custody Required)  
 P-Repeat Sample U-Upstream Repeat D-Downstream Repeat X-Other Repeat  
 (At Original Tap)

Chain-of-Custody Information

Relinquished by: *[Signature]* Date: 3-20-2023 Time: 12:55  
 Received by: *[Signature]* Date: 3-20-2023 Time: 12:55  
 Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 ANALYST: *[Signature]* SUPERVISOR: \_\_\_\_\_  
 REMARKS: Teton Microbiology Laboratory  
 300 S. Freeman Ave  
 Idaho Falls, ID 83401  
 ID00969  
 Dist 7  Dist 6

Only Available location to collect sample THOME  
 This was only location to sample from after multiple attempts. Per D&O, -lawyer Perstman it was agreed to take from available place. - JMB/clary

Water System Name: Valley View Ranch PWS ID no: PUSD 722056  
 Collector: M. Johnson Collect Date: March 21, 2023 County: Fremont  
 Person Transporting Sample: D. McCarty  
 Condition of Transport:  Cooled  Carrier  Mail  Other  
 Report Results To: Island Park Water Co.  
Deborah McCarty  
 Phone Number: Cell 208-521-2369 \* Fax Number:  
208-529-9210 FAX

**Billing Address:**  
ISLAND PARK WATER CO  
 Email: water@ida.net  
 Phone: 208-521-2369  
 Fax: 208-529-9210



Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate  
**TETON MICROBIOLOGY LABORATORY ID: ID00969**  
300 S. Freeman Ave Idaho Falls, IDAHO 83401  
Office: 208-529-0077 -- Fax: 208-522-3797 tetonmicro.com

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #100ml	(P) Present (A) Absent	Method Code #100ml	(P) Present (A) Absent
#1	230326401	S	5136 Lake View	9:00			9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

Routine Sample  Construction/Special  W - Untreated (Source)  
 Enforcement (Chain of Custody Required)  
 P - Repeat Sample  U - Upstream Repeat  D - Downstream Repeat  X - Other Repeat (At Original Tap)

**Chain-of-Custody Information**

Received by: <u>D. McCarty</u>	Date: <u>3/21/23</u>	Time: <u>12:05</u>	Retinquished by: <u>Cyber Jett</u>	Date: _____	Time: _____	Received by: _____
Received by: _____	Date: _____	Time: _____	Retinquished by: _____	Date: _____	Time: _____	Received by: _____

DATE/TIME RECEIVED: 3/21/23 12:05 ANALYST: Cyber Jett  
 DATE/TIME ANALYZE: 3/21/23 15:55 SUPERVISOR: 444  
 DATE/TIME READ: 3/22/23 13:15 LAB ID #: 444 ID00969

REMARKS: Teton Microbiology Laboratory  
300 S. Freeman Ave. ID 83401  
Idaho Falls, ID 83401  Dist 6

Please Note: This was the ONLY place we had access to take a water sample for March. A customer used his snowmobile to get to his cabin to remove snow. Current snow level into subdivision is extremely deep & ... in nature. snow hindrance  
 Dorothy A. Party

Water System Name: SHOTGUN NORTH  
 PWS ID no: ID7220065  
 County: Fremont  
 Collector: DeLoe  
 Collect Date: 3-28-2023  
 Person Transporting Sample: D. McCarty  
 Condition of Transport:  Cooled  Carrier  Mail  Other  
 Report Results To: Island Park Water Co  
 Attn: Dorothy McCarty  
 455 Constitution Way  
 Idaho Falls, ID 83402  
 Phone Number: (208) 521-2369  
 Fax Number: (208) 529-9210

Billing Address:  
 Island Park Water Co  
 455 Constitution Way  
 Idaho Falls, ID 83402  
 Email: [water@idpw.com](mailto:water@idpw.com)  
 Phone: (208) 521-2369  
 Fax: (208) 529-9210



Public Water System  
 Private System  
 Preserved With Sodium Thiosulfate  
 TETON MICROBIOLOGY LABORATORY ID: ID00969  
 300 S. Freeman Ave Idaho Falls, IDAHO 83401  
 Office: 208-529-0077 -- Fax: 208-522-3797 [tetonmicro.com](http://tetonmicro.com)

Client Sample Number	Lab Sample Number	Sample Type Code	Sampling Location	Time Collected	Chlorine residual PPM	Original Sample Date	Total Coliforms		Escherichia Coli	
							Method Code #100ml	(P) Present (A) Absent	Method Code #100ml	(P) Present (A) Absent
#1	230337201	S	3522 S. Fox	2:20			9223B-PA	A	9223B-PA	A
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	
							9223B-PA		9223B-PA	

S - Routine Sample C - Construction/Special W - Untreated (Source)  
 E - Enforcement (Chain of Custody Required) U - Upstream Repeat D - Downstream Repeat X - Other Repeat

Chain-of-Custody Information

Relinquished by: Dorothy McCarty Date: 3/28/23 Time: 18:24  
 Received by: Cyler Jtc  
 Relinquished by: Cyler Jtc Date: 3/30/23 Time: 11:11  
 Received by: Cyler Jtc

DATE/TIME RECEIVED: 3/28/23 18:24  
 DATE/TIME ANALYZE: 3/29/23 14:02  
 DATE/TIME READ: 3/30/23 11:11

ANALYST: Cyler Jtc  
 SUPERVISOR: ID00969  
 LAB ID #: ID00969

REMARKS: This location was the only cabin we had access to after multiple attempts. Roads were inaccessible in the first quadrant and only person contacted that would go to their cabin.

Send Results To:  
 DEQ  DEQPH  
 Dist 7  Other  
 Teton Microbiology Laboratory  
 300 S. Freeman Ave.  
 Idaho Falls, ID 83401