INTERMOUNTAIN GAS COMPANY

555 SOUTH COLE ROAD . P.O. BOX 7608 . BOISE, IDAHO 83707 . (208) 377-6000 . FAX: 377-6097

August 24, 2023

Mr. Jeff Brooks, Programs Manager Idaho Public Utility Commission PO Box 83720 Boise, ID 83720-0074

Subject: Response to Notice of Probable Violation dated August 8, 2023 (Report # I202305)

Dear Mr. Brooks,

This letter is intended to address one (1) probable violation stemming from a construction inspection conducted by the Idaho Public Utilities Commission (IPUC) on August 2, 2023, of Intermountain Gas Company (IGC).

PROBABLE VIOLATIONS

1. 49 CFR § 192.605 Procedural manual for operations, maintenance, and emergencies.

(a) General. Each operator shall prepare and follow for each pipeline, a manual of written procedures for conducting operations and maintenance activities and for emergency response. For transmission lines, the manual must also include procedures for handling abnormal operations. This manual must be reviewed and updated by the operator at intervals not exceeding 15 months, but at least once each calendar year. This manual must be prepared before operations of a pipeline system commence. Appropriate parts of the manual must be kept at locations where operations and maintenance activities are conducted.

Squeeze-Off of Plastic Pipe - OPS 309

2.2. Ground the squeeze-off tool with a static electric grounding device before placing the squeezeoff tool on the pipe, apply a soapy water solution and wet non synthetic cloth (such as cotton or burlap material) upstream of squeeze location, or commercially available electrostatic discharge fluid to the pipe surface on the squeeze location to provide for dissipation of static charge to the ground.

Finding(s):

During a construction inspection on Service Line # 011932-375 & 11014-375 at 86 and 102 N Coltsfoot Ave, Kuna, Idaho, a contractor representing IGC squeezed a service line without using a soapy water solution and wet non synthetic cloth (such as cotton or burlap material) upstream of squeeze location, or commercially available electrostatic discharge fluid.

This is the second finding of the same nature in less than 3 months – also reference NOPV # I202303.

Intermountain Gas Response

IGC acknowledges the findings brought forth by the IPUC. The contractor, Das-Co of Idaho (Das-Co), conducted a meeting on August 10, 2023, with all employees that perform work on IGC facilities (see Exhibit A). During the meeting *OPS 309 – Squeeze-Off of Plastic Pipe* was reviewed, and a hands-on demonstration of utilizing wet burlap for static suppression during squeeze off of plastic pipe was performed. Das-Co also ensured each crew was equipped with the appropriate tooling and material to properly execute squeeze off of plastic pipe.

Additionally, IGC has provided instruction for enhanced monitoring of adherence to *OPS 309* when Field Operations Coordinators (FOC) are on Contractor job sites.

EXECUTIVE OFFICES

INTERMOUNTAIN GAS COMPANY

555 SOUTH COLE ROAD • P.O. BOX 7608 • BOISE, IDAHO 83707 • (208) 377-6000 • FAX: 377-6097

Please contact Josh Sanders at (701) 222-7773 with questions or comments.

Respectfully Submitted,

ParDanas

Pat Darras Vice President, Engineering & Operations Services Intermountain Gas Company

Exhibit A

Squeezing Plast. cf. Pe 209 DATE: 3/10/23 TIME: 6:30 - 4 7:30 DAS-CO OF IDAHO a whitaker company Initials Name Name Initials Name Initials Name Initials A Hayden Anderson 100929 HA FU Jaime Heredia Jr 100666 Phillip Potgieter 100721 Franco Massari of JH Riockwell Bond 100990 Juan Hernandez 100669 Oscar Prado 100723 Steve Adams S.A. JB LPG The Tyler Booth 100924 Jack Jaeger-Bauder 100807 Luis Puentes-Garcia 100786 Larry Myers FR Jalen Johnson 100947 Eric Ramirez 100997 20. Ethan Call 100621 Jimmy Oakes Rel ne Rigo Chavarin 100265 Michael Krebs 100840 Walker Ray 100730 Juan Rodriguez SW Rey Lara 100985 Jaiden Reitz 100858 CB Cameron Beck Javier Conejo Jr. 100254 MR Trey Dancer 100921 Gerry Lowe 100920 Marco Reyes 100993 Austin Myers -L AL Af 220 Shane Diaz 100971 SD Jose Maceda 100257 Alexis Rodriguez 100986 Angel Puga 5M IR Stevan Maceda 100808 Librado Ruiz Sanchez 100740 Andres Rodriguez Christopher Dixon 100780 AP. off 5-5 Valerie Martinez 100975 John Anthony Rusciolelli 100741 Sergio Sanchez Slayde Eells 101000 FIRED GN RE 35 Ryan Enrico 100983 Gravsen May 100692 Jose Sauceda 100995 Justin Wilkinson J.E. BF Bryan Franco-Gomez 100893 Noah Maxa 100973 Juan Soto 100262 Tis 1 Donald Teel 100754 Arturo Garcia Aguayo 100784 Jose Mendoza 100989 BTS FLAG Darcy Ugalde 100755 ou WELDERS Hunter Mitchell 100992 German Gomez 100654 61 DU SB Dominic Greco 100658 DG Jordan Oakes 100708 20 Arthur (Bruno)Valenzuela 100248 Sam Bierwirth 100266 Sh Nathan Gulley 100869 Kyler Oakes 100779 Perdo Velazguez 100979 PU Seth Lynn 100845 KH Kodian Hale 100988 Zackary Orr 100710 20 Kobi Voyson 100761 Omar Madrigal 100912 KU JH NO W A.A. Daniel Vance 100758 Jonathon Hammer 100661 KC Osmus 100874 Abel Arridondo LEV LUMA RL Jesse Varelo JV Jose Rodriguez 101011 JR JUSEPH Browne JB Alim Nivers AN Martin Reyes Mg JT Peterson 100977 Carter TC Dylan Harbaugh 100824 Gilberto Soto Samuel Carrile G.S. SC