

Section 10.0 – ANCILLARY SERVICES

10.1 Interim Number Portability

10.1.1 Description

10.1.1.1 Interim Number Portability (INP) service is an arrangement that allows an End User Customer to retain its dialed telephone number when switching to another service provider. INP service can be provided by Qwest to CLEC or by CLEC to Qwest. For the purposes of this section, the Party porting traffic to the other Party shall be referred to as the "INP Provider" and the Party receiving INP traffic for termination shall be referred to as the "INP Requestor."

10.1.1.2 INP applies to those situations where an end user elects to transfer to a new service provider and such end user also wishes to retain its existing telephone number. INP consists of INP Provider's provision to the INP Requestor the capability to route calls placed to telephone numbers assigned to the INP Provider's switches to the INP Requestor's switches. INP is available only for working telephone numbers assigned to the INP Provider's end users who request to transfer to the INP Requestor's service. Local Interconnect Service (LIS) is required for INP.

10.1.1.3 INP is available as INP-Remote Call Forwarding (INP-RCF), Direct Inward Dialing (DID), and Directory Number Route Index (DNRI) and NXX Migration. DNRI is available as either direct to an end office or through a tandem, also referred to as DNRI Tandem (RIPH) or portability hub. NXX Migration, or Local Exchange Routing Guide Reassignment, reassigns the entire Central Office Code (NXX) to the CLEC Switch if the code is used solely for one End User.

10.1.1.4 Remote Call Forwarding (RCF)

10.1.1.4.1 RCF permits a call to an INP Provider's assigned telephone number to be translated to the INP Requestor's dialable local number. With the RCF solution, a permanent RCF is established in Qwest's Switch forwarding any incoming call to the number assigned and maintained in the CLEC Switch.

10.1.1.4.2 INP via RCF also requires Office Equipment (OE), on a per telephone number basis. The INP Requestor will need to provide a forecast of deployment sites and estimated quantities of ported numbers to assist in an assessment of available porting methods. Each request for INP via RCF will be analyzed by the Infrastructure Availability Center, IAC, to determine if OE is available.

10.1.1.5 Direct Inward Dialing (DID)

DID permits incoming calls to be ported to the INP Requestor's Switch via a DID trunk configuration. Each DID trunk group used for INP is dedicated to carrying DID INP traffic between Qwest's End Office and CLEC's Switch. The traffic on these trunks cannot overflow to other trunks. In addition, inter-Switch signaling for DID is limited to multi-frequency (MF). This precludes passing the Calling Line ID to the CLEC Switch. With DID, because there is no SS7 capability, there are CLASS feature limitations. For DID, the INP Provider will deliver the dialed telephone number to the INP requestor's central

office.

10.1.1.6 Directory Number Route Indexing (DNRI)

DNRI permits incoming calls to be ported to the INP Requestor's Switch via a route index. A permanent route index is assigned to the end user's ported number in the INP Provider's Switch. The INP Provider will deliver the dialed seven digit telephone number to the INP requestor's central office. INP Requestor may terminate the call as desired. Additional capacity for simultaneous call forwarding is available where technically feasible. The INP Requestor will need to specify the number of simultaneous calls to be forwarded for each number ported. DNRI tandem routing requires an additional thirty (30) day lead time to establish technical requirements for routing the ported calls.

10.1.2 Terms and Conditions

10.1.2.1 Qwest and CLEC will provide INP service in a non-discriminatory manner and with as little impairment of functioning, quality, reliability and convenience as possible.

10.1.2.2 Qwest will coordinate INP with Unbundled Loop cutovers in a reasonable amount of time and with minimum service disruption.

10.1.2.3 The Parties shall provide INP on a reciprocal basis to each other to the extent technically feasible, and in accordance with rules and regulations as, from time to time, prescribed by the FCC and/or the Commission.

10.1.2.4 Until the long term number portability solution, referred to as Local Number Portability (LNP), is implemented by the industry pursuant to regulations issued by the FCC or the Commission, the Parties agree to provide INP to each other through RCF, DID, DNRI and NXX migration. Local Interconnect Service (LIS) is required for INP.

10.1.2.5 Once Local Number Portability has been implemented within a Wire Center, INP will no longer be available for ordering within that Wire Center.

10.1.2.6 Upon LNP implementation, the INP offerings will be withdrawn subject to advance notice to the other Party. Both Parties will conform to the Western Region LNP Technical and Operations team guidelines and agreements for completion of INP to LNP conversion activity.

10.1.2.7 The INP Requestor's designated INP Switch must return answer and disconnect supervision to the INP Provider's Switch.

10.1.2.8 The INP Requestor will provide to the E911 database provider the network telephone number that the INP Requestor assigned to the INP Provider-assigned, ported telephone number. Updates to and maintenance of the INP information to the E911 database are the responsibility of the INP Requestor. For consistency in administration, the INP Requestor shall enter into a separate agreement with the E911 database provider.

10.1.2.9 Qwest will update its Line Information Database (LIDB) listings for ported

numbers as directed by CLEC. Qwest will restrict or cancel calling cards associated with these ported numbers. LIDB updates shall be completed by the Parties on the same business day each INP arrangement is activated.

10.1.2.10 An INP telephone number may be assigned by INP Requestor only to the INP Requestor's end users located within the INP Provider's local calling area and toll rating area that is associated with the NXX of the ported number.

10.1.2.11 INP is applicable only if the INP Requestor is engaged in a reciprocal traffic exchange arrangement with the INP Provider.

10.1.2.12 Only the existing INP Provider assigned end user telephone number may be used as a ported number for INP.

10.1.2.13 An INP telephone number must be active and assigned to an end user to accommodate INP.

10.1.2.14 INP services shall not be re-sold, shared or assigned by either Party to another LEC or CLEC.

10.1.2.15 INP is not offered for NXX Codes 555, 976, 960, and coin telephones, and Service Access Codes (i.e., 500, 700, 8XX, 900). INP is not available for Feature Group A seven-digit numbers, including Foreign Exchange. Furthermore, INP numbers may not be used for mass calling events.

10.1.2.16 The ported telephone number will be returned to the Switch which originally had the ported number when the end user disconnects service from the INP Requestor. The INP Requestor shall not retain it and reassign it to another end user. The normal intercept announcement will be provided by the INP Provider for the period of time until the telephone number is reassigned by the INP Provider.

10.1.2.17 Forecasts for INP must be included in the forecasting process detailed in Section 7 of this Agreement.

10.1.2.18 NXX Migration, or Local Exchange Routing Guide Reassignment, reassigns the entire Central Office Code (NXX) to the CLEC Switch if the code is used solely for one End User. Where one Party has activated an entire NXX for a single end user, or activated a substantial portion of an NXX for a single end user with the remaining numbers in that NXX either reserved for future use or otherwise unused, if such end user chooses to receive service from the other Party, the first Party shall cooperate with the second Party to have the entire NXX reassigned to an End Office operated by the second Party through the NANP administrator. In addition, both Parties agree to cooperate in arranging necessary updates and industry notification in the LERG (and associated industry databases, routing tables, etc.). Such transfer will be accomplished with appropriate coordination between the Parties and subject to appropriate industry lead-times (as identified in the LERG guidelines and the Central Office Code Administration guidelines) for movement of NXXs from one Switch to another. Other applications of NXX migration will be discussed by the Parties as circumstances arise.

10.1.3 Ordering

10.1.3.1 Both parties shall comply with ordering standards as developed by the industry. INP service is ordered via a Local Service Request and associated Number Portability forms. Specific details regarding the ordering of INP service is contained in the PCAT.

10.1.3.2 CLEC may order INP service either manually or through an electronic interface. The electronic gateway solution for ordering service is described in Section 12 of this Agreement.

10.1.3.3 Service intervals for INP are described below. These intervals apply when facilities and network capacity is available. Where facilities or network capacity is not available, intervals are on an Individual Case Basis (ICB). Orders received after 3:00 P.M. are considered the next business day. The following service intervals have been established for interim number portability:

Number of Lines	Interval
Simple (1FR/1FB)	
1-49 lines	3 business days
50 or more lines	ICB
Complex (PBX Trunks/ISDN)	
1-8 lines or trunks	5 business days
9-16 lines or trunks	6 business days
17-24 lines or trunks	7 business days
25 or more lines or trunks	ICB
Centrex	
1-10 lines	5 business days
11-20 lines	10 business days
21 or more lines	ICB
Out of Hours Conversions	
Any quantity	ICB

10.1.3.4 Qwest will provide FOCs to CLECs within a reasonable time, no later than 48 hours after receipt of complete and accurate orders for Regular POTS or Simple Business End Users. The FOC interval for all other complex orders will be within a reasonable time, no later than 8 business days from receipt of complete and accurate orders. The FOC for ICB orders will reflect an ICB FOC date.

10.1.3.5 For purposes of this Section, Qwest's normal business hours are 7:00 a.m. to 7:00 p.m., local time, Monday through Friday. CLEC may also request a Frame Due Time (FDT) of 5:00 a.m. as a normal business hour, Monday through Friday. Requests for Frame Due Times other than the 5:00 a.m. or 7:00 a.m. to 7:00 p.m. normal business hours shall be considered an out of hours cut.

10.1.3.6 CLEC shall request service within the normal business hours by

submitting a Local Service Request (LSR) and designating the requested Frame Due Time. Requests for Frame Due Times within normal business hours will be proactively managed by Qwest to ensure that the Frame Due Time is met.

10.1.3.7 Out of Hours Cut

10.1.3.7.1 Out of hours cuts permit a CLEC to select either a coordinated or non-coordinated cut for INP service outside of Qwest's normal business hours. For planning purposes, CLEC shall provide Qwest with a forecast of out of hours coordinated cuts at least two weeks prior to a CLEC placing an order in a particular state. Forecasts should include the anticipated Frame Due Times and volumes to be ported out of hours.

10.1.3.7.2 CLEC shall request out of hours cuts by submitting a Local Service Request (LSR) and designating the desired FDT outside of the normal business hours. In the Remarks section of the LSR, CLEC must specify an Out of Hours cut and the type of cut (coordinated or non-coordinated).

10.1.3.7.3 The date and time for the coordinated cut may need to be negotiated between Qwest and CLEC because of system downtime, Switch upgrades, Switch maintenance, and the possibility of other CLECs requesting the same FDT in the same Switch (Switch contention). Because of this up-front coordination and FDT negotiation efforts, Firm Order Confirmation (FOC) of the FDT will require additional time. In the event that this situation would occur, Qwest will negotiate with CLEC to provide the FOC within a reasonable time frame.

10.1.3.7.4 Non-Coordinated Out of Hours Cut

10.1.3.7.4.1 CLEC shall request out of hours non-coordinated cuts by submitting a LSR and designating a 1:00 a.m. FDT (due date) which is outside of the normal business hours. Non-coordinated cuts allow CLEC to request a Qwest FDT of 1:00 a.m. where the actual cut occurs between the hours of 1:00 a.m. and 7:00 a.m., with the cut completed by 7:30 a.m. of that day (if the requested date is a business day, or by 7:30 a.m. of the next business day).

10.1.3.7.4.2 Conversion desk activities and escalation processes for non-coordinated out of hour cuts are accomplished during the business day prior to the cut.

10.1.3.7.4.3 CLEC will not incur additional charges for non-coordinated out of hours cuts.

10.1.3.7.5 Coordinated Out of Hours Cut

10.1.3.7.5.1 CLECs shall request a coordinated out of hours cut by submitting a LSR and designating the requested FDT.

10.1.3.7.5.2 Out of hours coordinated cuts will be managed by a Qwest project manager. Coordination of this effort requires an up-front

internal planning session. Any changes to the original FDT will be negotiated with CLEC and will occur prior to issuing an FOC.

10.1.3.7.5.3 CLEC will incur additional charges for coordinated out of hours cuts.

10.1.3.8 End User Impacts

10.1.3.8.1 The INP Requestor is responsible for all dealings with and on behalf of its end users, including all end user account activity (e.g., end user inquiries and complaints).

10.1.3.8.2 Each Party is responsible for obtaining a Proof of Authorization from its end users who request a transfer of the end user's telephone number from the other Party.

10.1.3.8.3 The INP Provider will work cooperatively with the INP Requestor to ensure a smooth end user transition and to provide for coordination with other facilities (e.g., Loops).

10.1.3.8.4 If an end user requests transfer of service from the INP Requestor back to the INP Provider, the INP Provider may rely on that end user request to institute cancellation of the INP service. The INP Provider will provide at least 48 hours notice to the INP Requestor of the cancellation of INP service, and will work cooperatively with the INP Requestor to ensure a smooth end user transition and to provide for coordination with other facilities (e.g., Loops).

10.1.3.8.5 The INP Requestor will submit to the INP Provider a disconnect order for each ported number that is relinquished by the INP Requestor's end users. Qwest will provide an electronic interface for the purpose of ordering INP service. This interface may be accomplished by either a GUI (Graphical User Interface) or EDI (Electronic Data Interchange).

10.1.4 Maintenance and Repair

10.1.4.1 CLEC is responsible for its own end users and will have the responsibility for resolution of any service trouble report(s) from its end users. End user customers of CLEC will be instructed to report all cases of trouble to their Service Provider.

10.1.4.2 CLEC and Qwest will provide to their respective end user customers the correct telephone numbers to call for access to their respective repair bureaus. CLEC and Qwest will provide their repair contact numbers to one another on a reciprocal basis.

10.1.4.3 Qwest will work cooperatively with CLEC to resolve trouble reports when the trouble condition has been isolated and found to be within a portion of the Qwest network. Qwest will perform standard tests to isolate and repair the trouble. For INP trouble reports, Qwest will not be responsible for testing the Unbundled Loop leased by CLEC.

10.1.4.4 The trouble ticket will be closed by the functional group that corrected the trouble. This group will also contact CLEC to inform them that the ticket has been

closed. Current trouble codes and analysis codes will be entered to the trouble ticket.

10.1.5 Rate Elements

10.1.5.1 INP Rate Elements

In accordance with Commission requirements, Qwest recovers an appropriate allocation of its INP costs through charges to CLEC for each NXX code assigned to a CLEC. Per Commission Orders, a true-up will be completed semi-annually. The true-up is a mechanism for readjusting the monthly charge based on forecasted quantities, to account for actual quantities during the year. The Parties will comply with the FCC rules and Commission decisions on cost recovery for interim number portability. Exhibit A of this Agreement contains Interim Number Portability rates.

10.1.5.1.1 In accordance with Commission requirements, Qwest recovers an appropriate allocation of its INP costs through charges to CLEC for each NXX code assigned to a CLEC. Per Commission Orders, a true-up will be completed semi-annually. The true-up is a mechanism for readjusting the monthly charge based on forecasted quantities, to account for actual quantities during the year.

10.1.5.1.2 Charges for Coordinated Out of Hours Cuts. Charges for coordinated out of hours cuts shall be based upon actual hours worked at Qwest's overtime rate, time and one-half rates for timeframes outside of Qwest's normal hours except for Sundays and Holidays. Charges for coordinated out of hours cuts on Sundays and Holidays shall be based upon Qwest's overtime premium rate, which is double time. Overtime rates will be multiplied by the number of Qwest personnel actively participating in the cut, multiplied by the number of hours required for the cut. Exhibit A of this Agreement contains overtime rates for coordinated out of hours cuts.

10.1.5.1.2.1 Qwest will schedule the appropriate number of employees prior to the cut, based upon information provided by CLEC. If such information requires modification during the cut and, as a result, non-scheduled employees are required, CLEC shall be charged a four hour minimum callout.

10.1.5.2 Switched Access Revenues. Qwest will comply with the FCC and Commission rules regarding the sharing of terminating access revenues. Once the End Office Switch is converted to long term number portability (LNP), CLEC has the ability to directly bill the Interexchange Carrier, and no sharing of terminating access revenues is required.

10.1.5.2.1 The Switched Access rate elements are identified in Qwest's Switched Access Tariff.

10.1.5.2.2 Qwest will use ARMIS data to determine the average Minutes of Use (MOU) by jurisdiction. ARMIS data is updated on a yearly basis.

10.1.5.2.3 The number of lines to be used in determining the amount of terminating switched access will be extracted from the Qwest corporate data warehouse once each month. This database contains billed information for posted orders.

10.1.5.2.4 The calculation of the terminating Switch access charges, along with the appropriate data for the preceding month will be provided to CLEC to support the payment. Qwest will pay the pass through amounts to CLEC within one month. Disputes will be processed as though this credited amount were a billed amount under this Agreement.

10.2 Local Number Portability

10.2.1 Description

10.2.1.1 Local Number Portability (LNP) is defined by the FCC as the ability of users of Telecommunications Services to retain, at the same location, existing Telecommunications numbers without impairment of quality, reliability, or convenience when switching from one Telecommunications Carrier to another. Qwest will allow CLEC to port telephone numbers for its End User Customers in the same manner as Qwest ports telephone numbers for Qwest End User Customers. CLEC may port telephone numbers into and out of Qwest End Office Switches on behalf of an End User Customer using the FCC rules and industry guidelines as described in the following Sections.

10.2.1.2 Qwest uses the Location Routing Number (LRN) architecture. Under the LRN architecture, each End Office Switch is assigned a unique ten-digit LRN, the first six digits of which identify the location of that End Office Switch. The LRN technology is a triggering and addressing method which allows the re-homing of individual telephone numbers to other End Office Switches and ensures the proper routing of calls to ported telephone numbers through the use of a database and the signaling network. The LRN solution interrupts call processing through the use of an Advanced Intelligent Network (AIN) trigger, commonly referred to as the LRN trigger. During this interruption, a query is launched to the LNP database in the signaling network and the call is re-addressed using the LRN information for the ported telephone number. The LRN will route the call to the proper End Office Switch destination. The actual routing of the call with either the dialed telephone number, for calls to non-ported telephone numbers, or the LRN, for calls to ported telephone numbers, observes the rules, protocols and requirements of the existing Public Office Dialing Plan (PODP).

10.2.2 Terms and Conditions

10.2.2.1 Qwest will provide Local Number Portability (LNP), also known as long-term number portability, in a non-discriminatory manner in compliance with the FCC's rules and regulations and the guidelines of the FCC's North American Numbering Council's (NANC) Local Number Portability Administration (LNPA) Working Group and the Industry Numbering Committee (INC) of the Alliance for Telecommunications Industry Solutions (ATIS). Unless specifically excluded in Section 10.2.2.6, all telephone numbers assigned to an End User Customer are available to be ported through LNP. Mass calling events shall be handled in accordance with the industry's non-LRN recommendation (NANC's High Volume Call-In Networks dated February 18, 1998).

10.2.2.2 Each Party shall use reasonable efforts to facilitate the expeditious deployment of LNP. The Parties shall comply with the processes and implementation schedules for LNP deployment prescribed by the FCC. In accordance with industry guidelines, the publications of LNP capable End Office Switches and the schedule and

status for future deployment will be identified in the Local Exchange Routing Guide (LERG).

10.2.2.3 In connection with the provision of LNP, the Parties agree to support and comply with all relevant requirements or guidelines that are adopted by the FCC, or that are agreed to by the Telecommunications industry as a national industry standard.

10.2.2.4 Qwest will coordinate LNP with Unbundled Loop cutovers in a reasonable amount of time and with minimum service disruption, pursuant to Unbundled Loop provisions identified in Section 9 of this Agreement. CLEC will coordinate with Qwest for the transfer of the Qwest Unbundled Loop coincident with the transfer of the End User Customer's service to Qwest in a reasonable amount of time and with minimum service disruption. For coordination with Loops not associated with Qwest's Unbundled Loop offering, CLEC may order the LNP managed cut, as described in Section 10.2.5.4.

10.2.2.4.1 Parties understand that LNP order activity must be coordinated with facilities cutovers in order to ensure that the End User Customer is provided with uninterrupted service. If the Party porting the telephone number experiences problems with its port or provision of its Loop, and needs to delay or cancel the port and any Loop disconnection, that Party shall notify the other Party immediately. Parties will work cooperatively and take prompt action to delay or cancel the port and any Loop disconnection in accordance with industry (LNPA's National Number Porting Operations Team), accepted procedures to minimize End User Customer service disruptions.

10.2.2.4.2 Parties shall transmit a port create subscription or port concurrence message to the NPAC, in accordance with the FCC's LNPA Working Group's guidelines. Qwest will routinely send a concurrence message within the time frames established by the industry.

10.2.2.5 The Parties agree to implement LNP within the guidelines set forth by the generic technical requirements for LNP as specified in Section 21 of this Agreement.

10.2.2.6 Neither Party shall be required to provide Local Number Portability for telephone numbers that are excluded by FCC rulings (e.g. 500 and 900 NPAs, 950 and 976 NXX number services).

10.2.2.7 After an End Office Switch becomes equipped with LNP, all NXXs assigned to that End Office Switch will be defined as portable, to the extent Technically Feasible, and translations will be changed in each Party's Switches so that the portable NXXs are available for LNP database queries. When an NXX is defined as portable, it will also be defined as portable in all LNP-capable End Office Switches that have direct trunks to the End Office Switch associated with the portable NXX.

10.2.2.8 Each Party shall offer Local Number Portability to End User Customers for any portion of an existing DID block without being required to port the entire block of DID telephone numbers. Each Party shall permit End User Customers who port a portion of DID telephone numbers to retain DID service on the remaining portion of the DID telephone numbers.

10.2.2.9 At the time of porting a telephone number via LNP from Qwest, Qwest

shall ensure that the LIDB entry for that telephone number is de-provisioned if the Qwest LIDB is not being used by CLEC.

10.2.2.10 Both Parties agree to follow the LNP End Office Switch request process established by the Parties and in compliance with industry guidelines.

10.2.2.11 NXX Migration, or Local Exchange Routing Guide Reassignment, reassigns the entire Central Office Code (NXX) to CLEC's End Office Switch if the code is used solely for one End User Customer. Where one Party has activated an entire NXX for a single End User Customer, or activated a substantial portion of an NXX for a single End User Customer with the remaining telephone numbers in the NXX either reserved for future use or otherwise unused, if such End User Customer chooses to receive service from the other Party, the first Party shall cooperate with the second Party to have the entire NXX reassigned to an End Office Switch operated by the second Party through the NANP administrator. In addition, both Parties agree to cooperate in arranging necessary updates and industry notification in the LERG (and associated industry databases, routing tables, etc.). Such transfer will be accomplished with appropriate coordination between the Parties and subject to appropriate industry lead-times (as identified in the LERG and the Central Office Code Administration guidelines) for movement of NXXs from one End Office Switch to another. Other applications of NXX migration will be discussed by the Parties as circumstances arise.

10.2.2.12 In connection with all LNP requests, the Parties agree to comply with the National Emergency Number Association (NENA) recommended standards for service provider Local Number Portability (NENA-02-011), as may be updated from time to time, regarding unlocking and updating End User Customers' telephone number records in the 911/Automatic Location Information (ALI) database. The Current Service Provider shall send the 911 unlock record on the completion date of the order to the 911 database administrator.

10.2.2.13 Porting of Reserved Numbers. The End User Customers of each Party may port Reserved Numbers from one Party to the other Party via LNP. Qwest will port telephone numbers previously reserved by the End User Customer via the appropriate retail Tariffs until these reservations expire. Qwest will reserve telephone numbers in accordance with the FCC's rules.

10.2.2.14 Limits on Subscriber Relocation. Qwest and CLEC agree that an End User Customer may geographically relocate at the same time as it ports its telephone number, using LNP, to the New Service Provider; provided, however, that the Current Service Provider may require that the End User Customer's relocation at the time of the port to the New Service Provider be limited to the geographic area represented by the NXX of the ported telephone number. The Current Service Provider may not impose a relocation limitation on the New Service Provider or the New Service Provider's subscribers that is more restrictive than that which the Current Service Provider would impose upon its own subscribers with telephone numbers having the same NXX as the telephone number(s) being ported. In addition, the Current Service Provider may not impose any restrictions on relocation within the same Rate Center by a ported End User Customer while that End User Customer is served by the New Service Provider.

10.2.3 Service Management System

10.2.3.1 Each Party shall sign the appropriate NPAC user agreement(s) and obtain certification from the appropriate NPAC administrator(s) that the Party or the Party's Service Order Administration (SOA) and Local Service Management System (LSMS) vendor(s) has systems and equipment that are compatible with the NPAC's established protocols and that the application of such systems and equipment is compatible with the NPAC.

10.2.3.2 Each Party shall cooperate to facilitate the administration of the SMS through the process prescribed in the documents referenced in Section 21.

10.2.4 Database and Query Services

10.2.4.1 The LNP database provides the call routing information used by Qwest's End Office Switches and Tandem Switches to route CLEC's End User Customer's calls to a ported telephone number or to terminate calls to CLEC's End User Customers using a ported telephone number. Qwest shall perform default LNP queries where CLEC is unable to perform its own query. CLEC shall perform default LNP queries where Qwest is unable to perform its own query. Qwest query services and charges are defined in FCC Tariff #5, including End Office and Tandem Switch Default Query Charges which are contained in Tariff Section 13 (Miscellaneous Service) and Database Query Charges which are contained in Tariff Section 20 (CCSAC Service Applications).

10.2.4.2 For local calls to a NXX in which at least one (1) telephone number has been ported via LNP at the request of CLEC, the Party that owns the originating Switch shall query an LNP database as soon as the call reaches the first LNP-capable Switch in the call path. The Party that owns the originating Switch shall query on a local call to a NXX in which at least one (1) telephone number has been ported via LNP prior to any attempts to route the call to any other Switch. Prior to the first telephone number in a NXX being ported via LNP at the request of CLEC, Qwest may query all calls directed to the NXX, subject to the Billing provisions as discussed in Section 10.2.4.1 and provided that Qwest queries shall not adversely affect the quality of service to CLEC's End User Customers as compared to the service Qwest provides its own End User Customers.

10.2.4.3 A Party shall be charged for a LNP query by the other Party only if the Party to be charged is the N-1 Carrier and it was obligated to perform the LNP query but failed to do so. Parties are not obligated to perform the LNP query prior to the first port requested in a NXX.

10.2.4.4 On calls originating from a Party's network, the Party will populate, if Technically Feasible, the Jurisdiction Information Parameter (JIP) with the first six digits of the originating LRN in the SS7 Initial Address Message.

10.2.4.5 Each Party shall cooperate in the process of porting telephone numbers from one Carrier to another so as to limit service outage for the ported End User Customer. Qwest shall update its LNP database from the NPAC SMS data within fifteen (15) minutes of receipt of a download from the NPAC SMS.

